

SEQUENCE LISTING

<110> STEM CELL PHARMACEUTICALS, INC.
 TWARDZIK, Daniel R.
 PERNET, Andre
 FELKER, Thomas S.
 PASKELL, Stefan

<120> TGF-alpha POLYPEPTIDES, FUNCTIONAL FRAGMENTS AND METHODS OF USE THEREFOR

<130> STEM1110-4

<140> US 10/039,119

<141> 2002-04-02

<150> US 09/641,587

<151> 2000-08-17

<150> US 09/492,935

<151> 2000-01-17

<150> US 09/378,567

<151> 1999-08-19

<160> 7

<170> PatentIn version 3.1

<210> 1

<211> 50

<212> PRT

<213> Homo sapiens

<400> 1

Val Val Ser His Phe Asn Asp Cys Pro Asp Ser His Thr Gln Phe Cys
 1 5 10 15

Phe His Gly Thr Cys Arg Phe Leu Val Gln Glu Asp Lys Pro Ala Cys
 20 25 30

Val Cys His Ser Gly Tyr Val Gly Ala Arg Cys Glu His Ala Asp Leu
 35 40 45

Leu Ala
 50

<310> 2

<311> 50

<312> PRT

<313> Rattus norvegicus

<400> 2

Val Val Ser His Phe Asn Lys Cys Pro Asp Ser His Thr Gln Tyr Cys
 1 5 10 15

Phe His Gly Thr Cys Arg Phe Leu Val Gln Glu Glu Lys Pro Ala Cys
 20 25 30

Val Cys His Ser Gly Tyr Val Gly Val Arg Cys Glu His Ala Asp Leu
 35 40 45

Asp Ala
 50

<210> 3
 <211> 57
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> A modified human TGF-alpha sequence

<400> 3

Ser Leu Ser Leu Pro Ala Met Val Val Ser His Phe Asn Asp Cys Pro
 1 5 10 15

Asp Ser His Thr Gln Phe Cys Phe His Gly Thr Cys Arg Phe Leu Val
 20 25 30

Gln Glu Asp Lys Pro Ala Cys Val Cys His Ser Gly Tyr Val Gly Ala
 35 40 45

Arg Cys Glu His Ala Asp Leu Leu Ala
 50 55

<210> 4
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Modified human TGF alpha sequence fragment

<220>
 <221> MISC_FEATURE
 <222> (1)..(10)
 <223> Xaa at residue 1, 5, 7 to 9 is independently V, G or A; Xaa at
 residue 6 is Y or F; and Xaa at residue 10 is R or K

<400> 4

Xaa Cys His Ser Xaa Xaa Xaa Xaa Xaa Xaa Cys
 1 5 10

<210> 5
 <211> 7

<212> PRT
 <213> Artificial Sequence

<220>
 <223> Modified human TGF alpha sequence fragment

<220>
 <221> MISC_FEATURE
 <222> (1)..(7)
 <223> Xaa at residue 1 and 4 is E or D; Xaa at residue 3 and 7 is V, G,
 or A; Xaa at residue 5 is L or I; and Xaa at residue 6 is D or E

<400> 5

Xaa His Xaa Xaa Xaa Xaa
 1 5

<210> 6
 <211> 18
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Modified human TGF alpha sequence fragment

<220>
 <221> MISC_FEATURE
 <222> (1)..(18)
 <223> Xaa at residue 1, 5, 7-9, 14, 18 is indep. V, G, or A; Xaa at
 residue 6 is Y or F; Xaa at residue 10 is R or K; Xaa at residue 12,
 15 is indep. E or D; Xaa at residue 16 is L or I; Xaa at residue
 17 is D or E

<400> 6

Xaa Cys His Ser Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa His Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa

<210> 7
 <211> 7
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Modified human TGF alpha sequence fragment

<220>
 <221> MISC_FEATURE
 <222> (1)..(7)
 <223> Xaa at residue 1 and 2 is indep. V, G, and A; Xaa at residue 7 is
 K or R

<400> 7

Xaa Xaa Ser His Phe Gln Xaa
1 5